

Shake well before measurement and use.

Graph-Ex SATM

Inoculant - Seed Lubricant

for Soybeans

with

iGETTM Technology
Induced Gene Expression Triggers



A SPECIALLY
FORMULATED
BLEND OF TALC,
GRAPHITE AND
SOYBEAN INOCULANT.

Soybean Inoculant *plus* Seed Lubricant



PATENT PENDING

Net Contents: 3 oz.

Treats 6 x 140k units soybean seed

Contents settle – shake well before measurement and use.

Graph-Ex SA™ may be applied to seed using two methods of application, bulk or planter box.

BULK APPLICATION: Apply one half (0.5) ounce by weight (one measuring cup as provided) per 140k unit of seed, by manually or mechanically dispersing Graph-Ex SA™ into a flowing stream of seed. Ensure that Graph-Ex SA™ is evenly dispersed in the planter or drill box.

PLANTER BOX APPLICATION METHOD: Apply one half (0.5) ounce by weight (one measuring cup as provided) per 140k unit of seed into planter or drill box. Mix seed until uniform coverage is obtained. It is best to treat and mix seed in 140k unit increments. For optimal performance, plant seed within 72 hours of application. DO NOT EXCEED 72 HOURS without re-inoculating seed.

FOR CURRENT “PLANTING WINDOW” RECOMMENDATIONS AND THE LATEST SEED TREATMENT COMPATIBILITY INFORMATION, PLEASE CONTACT YOUR ABM™ REPRESENTATIVE, GO TO WWW.ABM1ST.COM OR CALL ABM™ AT 877-617-2461.

RECOMMENDATIONS FOR ADVERSE CONDITIONS OR NEW “VIRGIN” SOYBEAN FIELDS:

When any of these conditions are present, ABM highly recommends at least a double (2x) rate of inoculants. ABI Sterile Peat is highly recommended to be used as a second inoculant to achieve at least a double rate. • Soil has not hosted the specific legume for more than three (3) years • Soil pH is less than 5.8 (the pH should be adjusted by liming prior to inoculation) • Soil pH is more than 8.5 • Organic matter is less than 1.5% • Drought or flooding has occurred • Topsoil exceeds 80° F • Soil erosion • Use of soil treatments and chemicals injurious to soil bacteria and inoculants.

STORAGE INSTRUCTIONS: Store package in a cool place between 39° and 77°F and keep closed until use. Use inoculant before expiration date and only use on specified legume seed. Protect inoculant and inoculated seed from direct sun, hot winds, and high temperatures.

CAUTION: AVOID SKIN CONTACT AND INHALATION; WEAR A DUST MASK TO PREVENT INHALATION, AND APPROPRIATE CLOTHING (LONG PANTS AND LONG SLEEVED SHIRT) TO AVOID CONTACT WITH SKIN.


ADVANCED BIOLOGICAL MARKETING
P.O. Box 222 | Van Wert, OH 45891
USA | 877.617.2461 | ABM1st.com

**MINIMUM SPECIFICATION
5 X 10⁹ RHIZOBIA SPP. AND
1 X 10⁸ TRICHODERMA SPP.
CFU/GM**

LIMITED WARRANTY: Advanced Biological Marketing guarantees the cultures in this package will inoculate the quantity and kind of seed specified on this package when: (1) Product is used prior to expiration date (2) Product is stored properly (3) Product is used under favorable soil and weather conditions (4) Product is used in accordance with directions for use noted on this package. All field performance complaints must be brought to the attention of Advanced Biological Marketing within seventy (70) days of planting. ADVANCED BIOLOGICAL MARKETING MAKES NO OTHER EXPRESS OR IMPLIED WARRANTY OF FITNESS, WARRANTY OF MERCHANTABILITY, OR WARRANTY FOR A PARTICULAR PURPOSE, OR ANY OTHER EXPRESS OR IMPLIED WARRANTY. ADVANCED BIOLOGICAL MARKETING'S LIABILITY IS HEREBY EXPRESSLY LIMITED TO THE PURCHASE PRICE OF PRODUCT ONLY. IN NO EVENT SHALL ADVANCED BIOLOGICAL MARKETING OR ANY SELLER OF THIS PRODUCT BE LIABLE FOR CONSEQUENTIAL, SPECIAL, OR INDIRECT DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT.

Made in the U.S.A.

Patent Pending. Graph- EX SA™ is a
Trademark of Advanced Biological Marketing.